Individual Characteristics		Family, School and Community			
American Indian	2007	2010	Lives with both parents 2007	2010	
All	6	5	All <b>68</b>	68	
Male	4	5	Male 70	68	
Female	6	6	Female 66	67	
African-American	2007	2010	Mother graduated from college 2007	2010	
All	12	23	All <b>50</b>	52	
Male	14	21	Male 51	50	
Female	10	26	Female 50	54	
	•••	2010	Willing to discuss serious issues	2010	
Asian	2007	2010	with parents 2007	2010	
All	12	13	All 79	75	
Male	12	14	Male 78	74 <b>7</b> 4	
Female	12	12	Female 80	76	
Pacific Islander	2007	2010	Mostly A's and B's in school 2007	2010	
All	1	2	All 77	80	
Male	1	2	Male 74	79	
Female	1	1	Female 81 <b>Does at least 1 hour of homework</b>	82	
White	2007	2010	per night 2007	2010	
All	49	57	All 62	51	
Male	45	59	Male 57	47	
Female	53	56	Female 66	56	
Temate			Agree, amount of homework is	20	
Latino ethnicity	2007	2010	about right 2007	2010	
All	21	27	All <b>50</b>	57	
Male	24	28	Male 53	51	
Female	18	25	Female 47	64	
			Agree, in my town I matter to		
Sex	2007	2010	people 2007	2010	
			All 52	53	
Male	47	54	Male 54	50	
Female	53	46	Female 50	56	
			Agree, in my town adults listen to	2010	
			me 2007	2010	
			All 49	50	
			Male 52	50	
			Female 46	51	

### 2010 Youth Risk Behavior Survey - Arlington

All figures represent the percentage of 6th grade youth reporting the risk behavior or characteristic.

PHYSICAL AND MENTA	L HEA	LTH	WEIGHT STATUS	
In poor or fair health	2007	2010	Describes self as overweight 2007	2010
All	10	7	All 23	20
Male	9	8	Male 24	22
Female	12	5	Female 22	18
Did not have physical in past				
year	2007	2010	Trying to lose weight 2007	2010
All	36	34	All 43	38
Male	38	38	Male 41	39
Female	35	29	Female 45	37
In poor/fair health and did not			Obese based on Body Mass Index	
have a physical	2007	2010	(BMI) 2007	2010
All	45	60	All <b>10</b>	9
Male	48	65	Male 12	12
Female	43	50	Female 8	6
Sleeps less than 8 hours on				
school nights	2007	2010	At-risk for obesity based on BMI 2007	2010
All	na	27	All <b>14</b>	11
Male	na	31	Male 17	12
Female	na	24	Female 11	9
DEPRESSIVE OR SUI	CIDAL		USE OF HEALTHY WEIGHT LOSS M	ETHODS
Felt sad or hopeless for				
2+weeks in past year	2007	2010	Exercise 2007	2010
All	15	20	All <b>61</b>	53
Male	12	18	Male 62	57
Female	17	22	Female 60	49
Suicide attempt, past year	2007	2010	Reduce calories and/or fat 2007	2010
All	5	4	All <b>36</b>	33
Male	4	4	Male 35	35
Female	5	3	Female 37	31
USE OF SAFETY DE	VICES	-		
Never or rarely wear seatbelt	2007	2010	UNHEALTHY WEIGHT LOSS METHODS Fasting 2007 20	
All	7	7	All 9	9
Male	8	7	Male 9	11
Female	6	6	Female 9	_
Never or rarely wears helmet	U	U	Female 9 6  Diet pills or liquids without	
while riding a bike	2007	2010	physician's advice 2007	2010
All	31	31	All 3	3
Male	37	37	Male 4	4
Female	26	24	Female 2	2
Never or rarely wears helmet	20	2 r	1 chaire 2	2
while skateboarding	2007	2010	Vomiting or misuse of laxatives 2007	2010
All	42	46	All 4	4
Male	<b>42</b> 44	<b>5</b> 0	Male 4	5
Female	40	41	Female 5	3
remale	40	41	remaie 3	3
			Any unhealthy weight loss method 2007	2010
			All 12	11
			Male 13	14
			Female 11	8
				1

Victim of bullying, past year         2007         2010           All         22         27           Male         24         28           Female         21         26           Victim of cyberbullying, past year         2007         2010           All         n/a         12           Male         n/a         13           Victim of bullying at school, past year         2007         2010           All         22         26           Male         24         29           Female         20         23
Male Female       24       28         Victim of cyberbullying, past year       2007       2010         All n/a       12         Male n/a       11         Female       n/a       13         Victim of bullying at school, past year       2007       2010         All 22       26         Male 24       29
Female         21         26           Victim of cyberbullying, past year         2007         2010           All         n/a         12           Male         n/a         11           Female         n/a         13           Victim of bullying at school, past year         2007         2010           All         22         26           Male         24         29
Victim of cyberbullying, past year         2007         2010           All         n/a         12           Male         n/a         11           Female         n/a         13           Victim of bullying at school, past year         2007         2010           All         22         26           Male         24         29
All   n/a   12     Male   n/a   11     Female   n/a   13       Wictim of bullying at school, past year   2007   2010   All   22   26   Male   24   29
Male Female         n/a n/a         11 n/a           Victim of bullying at school, past year         2007         2010           All 22         26 n/a           Male 24         29
Female         n/a         13           Victim of bullying at school, past year         2007         2010           All         22         26           Male         24         29
Victim of bullying at school, past year 2007 2010 All 22 26 Male 24 29
All <b>22 26</b> Male 24 29
Male 24 29
Female 20 23
Agree, bullying is a serious problem at
school 2007 2010
All 26 32
Male 30 33
Female 23 30
Agree, bullying is a serious problem in
the neighborhood 2007 2010
All 14 13
Male 17 14
Female 12 11
Agree, adults try to help if told about
bullying 2007 2010
All <b>69 76</b> Male 68 72
Female 70 80  Agree, adults think bullying is a small
problem 2007 2010
All 22 25
Male 24 28
Female 19 21
VICTIMIZATION
Missed school due to safety concerns,
past month 2007 2010
All 5 7
Male 7 7
Female 3 6
Victim of property crime at school, past
year 2007 2010
All 21 27
Male 27 30
Female 15 23

ALCOHOL USE			CIGARETTE SMOKING			
Ever drank alcohol	2007	2010	Ever smoked cigarettes 2007 20		2010	
All	7	11	All	1	5	
Male	8	14	Male	1	7	
Female	6	8	Female	<1	2	
Used alcohol, past 30 days	2007	2010	Used cigarettes, past 30 days	2007	2010	
All	1	4	All	<1	1	
Male	2	5	Male	<1	1	
Female	1	2	Female	<1	0	
			Smoked a cigarette before			
Drank alcohol before age 13	2007	2010	age 13	2007	2010	
All	7	11	All	1	1	
Male	7	14	Male	1	2	
Female	6	8	Female	<1	0	
Rode with a drinking driver,	•••	•••				
past year	2007	2010				
All Mala	12	<b>11</b> 9				
Male Female	12 11	13				
	11	13	Moderate or great risk of			
Moderate or great risk of harm from 1-2 drinks daily	2007	2010	harm from 1 <sup>+</sup> pack daily	2007	2010	
All	na	76	All	na	86	
Male	na	72	Male	na	84	
Female	na	81	Female	na	88	
Parents disapprove of teen			Parents disapprove of teen			
drinking	2007	2010	smoking	2007	2010	
All	na	96	All	na	98	
Male	na	95	Male	na	98	
Female	na	97	Female	na	99	
A						
Agree, most/all young people my age use alcohol	2007	2010				
All	1	2				
Male	1	4				
Female	1	0				
Agree, alcohol is easy to get All	2007 15	2010 18				
Male	16	20				
Female	15	16				
1 Ciliale	13	10				

## 2010 Youth Risk Behavior Survey - Arlington

All figures represent the percentage of 6th grade youth reporting the risk behavior or characteristic.

MARIJUANA USE				INHALANTS AND OTHER DRUGS		
Ever used marijuana	2007	2010		<b>Ever used inhalants</b>	2007	2010
All	1	1		All	8	12
Male	1	2		Male	8	13
Female	<1	0		Female	8	11
Used marijuana, past 30 days	2007	2010		Used inhalants, past 30 days	2007	2010
All	0	1		All	3	5
Male	0	2		Male	4	5
Female	0	0		Female	3	6
Used marijuana before age 13	2007	2010		Used inhalants before age 13	2007	2010
All	1	1		All	8	12
Male	1	2		Male	8	13
Female	<1	0		Female	8	11
Risk of harm from regular						
8						
marijuana use	2007	2010		Ever used other* illegal drugs	2007	2010
8	2007 na	2010 88		All	2007 1	1
marijuana use				0 0		<b>1</b> 2
<b>marijuana use</b> All Male Female	na	88		All	1	1
marijuana use All Male Female Parents disapprove of teen	na na na	<b>88</b> 86 89		All Male Female	1 1 2	1 2 0
marijuana use All Male Female Parents disapprove of teen marijuana use	<b>na</b> na	88 86 89 <b>2010</b>		All Male Female  Ever used any** illegal drug	1 1 2 2007	1 2 0 <b>2010</b>
marijuana use All Male Female Parents disapprove of teen marijuana use All	na na na	88 86 89 2010 98		All Male Female  Ever used any** illegal drug All	1 1 2 2007 11	1 2 0 2010 12
marijuana use All Male Female Parents disapprove of teen marijuana use All Male	na na na 2007	88 86 89 2010 98 97		All Male Female  Ever used any** illegal drug All Male	1 1 2 2007 11 13	1 2 0 2010 12 14
marijuana use All Male Female Parents disapprove of teen marijuana use All Male Female	na na na 2007 na	88 86 89 2010 98		All Male Female  Ever used any** illegal drug All Male Female	1 1 2 2007 11	1 2 0 2010 12
marijuana use All Male Female Parents disapprove of teen marijuana use All Male Female Ever used cigarettes, alcohol or	na na na  2007 na na na	88 86 89 2010 98 97 100		All Male Female  Ever used any** illegal drug All Male Female  Was offered or sold drugs at	1 1 2 2007 11 13 10	1 2 0 2010 12 14 11
marijuana use All Male Female Parents disapprove of teen marijuana use All Male Female Ever used cigarettes, alcohol or marijuana	na na na na na na na na 2007	88 86 89 2010 98 97 100 2010		Ever used any** illegal drug All Male Female  Was offered or sold drugs at school, past year	1 1 2 2007 11 13 10 2007	1 2 0 2010 12 14 11
marijuana use All Male Female Parents disapprove of teen marijuana use All Male Female Ever used cigarettes, alcohol or marijuana All	na n	88 86 89 2010 98 97 100 2010 20		All Male Female  Ever used any** illegal drug All Male Female  Was offered or sold drugs at school, past year All	1 1 2 2007 11 13 10 2007 2	1 2 0 2010 12 14 11 2010 3
marijuana use All Male Female Parents disapprove of teen marijuana use All Male Female Ever used cigarettes, alcohol or marijuana	na na na na na na na na 2007	88 86 89 2010 98 97 100 2010		Ever used any** illegal drug All Male Female  Was offered or sold drugs at school, past year	1 1 2 2007 11 13 10 2007	1 2 0 2010 12 14 11

<sup>\*</sup> Other than marijuana or inhalants

<sup>\*\*</sup>Includes marijuana, inhalants, or any other illegal drugs.

# 2010 Youth Risk Behavior Survey - Arlington

All figures represent the percentage of 6th grade youth reporting the risk behavior or characteristic

DIET			EXERCISE			
Drank no milk	2007	2010	Inadequate exercise	2007	2010	
All	11	13	All	52	43	
Male	12	12	Male	51	39	
Female	11	15	Female	52	48	
Drank less than 3 daily servings			Did not play on any sports			
of milk	2007	2010	teams, past year	2007	2010	
All	69	75	All	32	33	
Male	68	70	Male	31	30	
Female	71	81	Female	33	37	
No fruit	2007	2010	Excessive* time watching TV	2007	2010	
All	8	6	All	25	25	
Male	9	7	Male	27	28	
Female	7	5	Female	23	21	
Less than 1 daily serving of			Excessive* time playing			
fruit	2007	2010	computer or video games	2007	2010	
All	38	40	All	12	13	
Male	37	38	Male	15	17	
Female	39	41	Female	10	9	
Less than 1 daily serving of						
fruit juice	2007	2010	Excessive* screen time	2007	2010	
All	<b>59</b>	<b>62</b>	All	<b>59</b>	49	
Male	57	61	Male	54	53	
Female	61	64	Female	64	44	
Two or more daily servings of						
soda	2007	2010	*More than 2 hours per school day			
All	10	3				
Male	14	4				
Female	6	2				

GANGS		
Member of gang, past year	2007	2010
All	4	3
Male	5	5
Female	4	1
Friend(s) in a gang, past year	2007	2010
All	12	7
Male	12	9
Female	12	5
Gang members in		
neighborhood or school	2007	2010
All	17	13
Male	18	14
Female	15	13
Agree, you are safer in a gang	2007	2010
All	6	6
Male	8	5
Female	3	6
Agree, more likely to get hurt		
or get into trouble in a gang	2007	2010
All	80	80
Male	79	80
Female	81	81
WEAPONS AND FIG		2010
Carried a weapon, past month	2007	2010
All	11	10
Male	16	15
Female	7	4
In a physical fight, past year	2007	2010
All	29	35
Male	42	48
Female	18	20