

2017 SUMMARY OF RESULTS

FAMILY, HOME, COMMUNITY, SCHOOL						
(VALUES ARE PERCENTAGES)						
QUESTION DESCRIPTIONS	6th	8th	MS	10th	12th	HS
Lives with both parents	75	71	74	63	63	62
Parent graduated from college	74	77	76	67	60	63
Has seen or heard violence in the home	18	17	18	24	20	23
Slept away from parent or guardian because kicked out, ran way or were abandoned		<1	<1	2	3	3
Gets mostly A's and B's in school	93	88	90	87	79	82
Often or very often felt stressed by school	34	67	48	69	73	70
Skipped school 4 or more times	1	1	1	10	31	19
After high school most likely to attend a 4 year college, community college or technical school		85	85	89	92	89
Participates in an hour or more of school activities during an average week	78	74	76	71	69	69
Feels safe and secure at home (always or most of the time)	96	95	95	93	94	93
Feels safe and secure at school (always or most of the time)	90	89	89	90	90	91
Feels safe and secure in neighborhood (always or most of the time)	92	94	93	94	92	93
Adults listen to what I have to say (agree or strongly agree)	65	50	59	56	60	58
Would talk to family member about serious concern ^{vii}	84	69	78	64	59	62
Would talk to trusted adult about serious concern ^{vii}	68	49	59	53	45	51

^{vii} 6th graders were not asked about a serious concern regarding "sex" all other descriptors of a serious concern were the same across grades.

SAFETY, WEAPONS AND VIOLENCE						
(VALUES ARE PERCENTAGES)						
QUESTION DESCRIPTIONS	6th	8th	MS	10th	12th	HS
Never or rarely wears a helmet	16	18	17	22	28	24
Rode with a drinking driver, past 30 days	11	12	11	12	18	15
Rode with a driver who smoked marijuana, past 30 days	3	3	3	9	27	18
Drove after drinking alcohol, past 30 days		<1	<1	1	5	3
Drove after smoking marijuana, past 30 days		<1	<1	2	10	6
Drove while using handheld device		2	2	3	38	19
Carried a weapon, past month	3	7	5	5	6	6

SAFETY, WEAPONS AND VIOLENCE						
(VALUES ARE PERCENTAGES)						
QUESTION DESCRIPTIONS	6th	8th	MS	10th	12th	HS
Carried a weapon at school, past month	<1	2	1	2	2	3
Been threatened or injured with weapon on school property, past year	5	4	4	4	3	4
Victim of property crime at school, past year	24	26	25	18	15	16
In a physical fight, past year	23	22	22	16	13	15
In a physical fight on school property, past year	11	12	11	8	5	7
In a physical fight and had to be treated by a doctor or nurse, past year	3	2	2	1	2	2
Member of a gang, past year	4	3	4	3	3	3
Gang members in school or neighborhood	11	14	13	23	15	20

All percentages are calculated from valid cases (missing responses were not included). In the case where branching was used, the denominator is based upon the number of responses to the original question of the branch.

RELATIONSHIP VIOLENCE						
(VALUES ARE PERCENTAGES)						
QUESTION DESCRIPTIONS	6th	8th	MS	10th	12th	HS
Someone you dated physically hurt you on purpose, past 12 months		3	3	4	5	5
Someone you dated made unwanted sexual contact, past 12 months		6	6	9	11	11
Someone you dated called you names or put you down, past 12 months		6	6	9	16	13
Another student made unwelcome sexual comment, joke or gesture on school property, past 12 months		40	40	32	31	31
Someone made unwanted sexual contact IF had unwanted contact, where did this occur		10	10	13	12	12
At your home		12	12	15	12	16
At their home		12	12	14	17	15
At the home of a friend		12	12	18	35	25
At school during school hours		54	54	44	27	37
At school before or after school hours		22	22	20	19	16
On the bus		22	22	6	2	5
Ever forced to have sexual intercourse		2	2	6	8	7

All percentages are calculated from valid cases (missing responses were not included). In the case where branching was used, the denominator is based upon the number of responses to the original question of the branch.

BULLYING

(VALUES ARE PERCENTAGES)

QUESTION DESCRIPTIONS	6 th	8 th	MS	10 th	12 th	HS
Victim of bullying, past year	31	28	30	19	20	18
Victim of bullying at school, past year	27	25	26	15	17	15
Bullied others, past year	8	11	9	10	8	9
IF bullied, why bullied?^{vii}						
Sexual orientation		13	13	8	8	8
Sexual identity		7	7	4	5	6
Race		25	25	25	19	22
Ethnicity		11	11	19	12	16
Religion		8	8	16	5	10
Disability		3	3	5	7	6
Appearance		59	59	49	54	53
Academics		28	28	27	26	27
Unknown/Other		76	76	81	88	85
IF bullied, how bullied?^{viii}						
Rumor	48	39	44	52	50	53
False Accusations	42	45	43	43	49	46
Social Isolation	21	21	21	28	43	35
Physical Assault	17	11	14	12	8	9
Name Calling	81	81	80	75	69	72
Threats	21	12	17	17	14	16
Email	2	3	2	1	3	2
Social Media	17	30	22	36	27	32
Text	18	26	21	39	30	35
Other	26	9	18	8	8	9
IF bullied, reported bullying to an adult	53	41	54	34	31	32
IF you were bullied AND told an adult, agree that adult tried to help	81	60	75	72	38	57
Agree, bullying is a serious problem in my school	37	29	33	27	22	25

All percentages are calculated from valid cases (missing responses were not included).

^{viii}Denominator is based on kids who said they were bullied. Respondents could mark multiple reasons. 6th graders were not asked why they were bullied.

MENTAL HEALTH

(VALUES ARE PERCENTAGES)

QUESTION DESCRIPTIONS	6 th	8 th	MS	10 th	12 th	HS
Felt sad or hopeless, past year	16	24	19	31	37	34
Self-harm, past year	12	13	13	15	17	16
Suicide attempt, past year	3	4	3	4	5	5
IF attempted suicide, it resulted in medical treatment, past year ^{ix}	13	13	13	32	35	39
Considered suicide	9	20	14	20	20	20
IF considered suicide, reached out and spoke to someone ^x						
Family Member	57	55	56	52	50	51
Friend	43	73	61	57	71	64
Teacher	14	0	6	5	21	13
School Counselor, Social Worker, Psychologist	14	27	22	29	21	26
Family Friend	14	9	11	14	0	10
CrisisLink	0	0	0	5	7	8
Hotline	0	18	11	5	7	10
Counselor or Therapist	57	64	61	62	57	59
Other	14	18	17	0	0	3
IF experienced depressive symptoms, has knowledge of or is connected with support services	27	48	36	53	51	51

All percentages are calculated from valid cases (missing responses were not included).

^{ix}This percentage is calculated using only those who attempted suicide as a denominator.

^xThis percentage is calculated using only those who considered suicide as the denominator.

TOBACCO USE

(VALUES ARE PERCENTAGES)

QUESTION DESCRIPTIONS	6 th	8 th	MS	10 th	12 th	HS
Ever tried smoking	2	5	3	15	33	23
Used cigarettes on school property, past 30 days	0	<1	<1	1	5	4
Used cigars, cigarillos or little cigars, past 30 days	<1	1	1	3	10	6
Used chewing tobacco, snuff or drip, past 30 days	<1	1	<1	2	4	3

TOBACCO USE

(VALUES ARE PERCENTAGES)

QUESTION DESCRIPTIONS	6 th	8 th	MS	10 th	12 th	HS
Ever used electronic vapor product	2	10	5	21	41	30
Used electronic vapor product, past 30 days	1	4	2	11	22	17
Used electronic vapor product on school property, past 30 days	<1	1	1	5	12	8
Used waterpipe, during past 30 days	1	2	1	4	10	7
Agree, smoking from a waterpipe is less dangerous than cigarettes	4	10	7	14	18	16

All percentages are calculated from valid cases (missing responses were not included). In the case where branching was used, the denominator is based upon the number of responses to the original question of the branch.

ALCOHOL USE

(VALUES ARE PERCENTAGES)

QUESTION DESCRIPTIONS	6 th	8 th	MS	10 th	12 th	HS
Ever drank alcohol	13	26	19	47	69	57
Drank alcohol, past 30 days	1	4	2	15	39	26
Consumed 5+ drinks within a few hours, past month		2	2	8	20	14
Had at least one drink of alcohol on school property, past 30 days	0	<1	<1	2	4	4
Somewhat or very easy to get alcohol	27	50	37	62	66	63
Most common way to access the alcohol you drink, someone gave it to you ^{xi}	33	33	33	44	41	41

All percentages are calculated from valid cases (missing responses were not included)

^{xi}Denominator only includes youth who reported drinking in the past 30 days

DRUG USE

(VALUES ARE PERCENTAGES)

QUESTION DESCRIPTIONS	6 th	8 th	MS	10 th	12 th	HS
Ever use marijuana	1	5	3	18	46	31
Used marijuana, past month	1	2	1	9	27	17
Used marijuana on school property, past month	0	1	<1	3	5	4
Ever use synthetic marijuana	1	2	1	6	6	6
Used synthetic marijuana, past month	<1	1	1	2	4	3
Ever use over-the-counter drugs	11	7	9	10	11	11
Used over-the-counter drugs, past month	8	3	6	4	6	5
Ever used heroin	<1	0	<1	1	1	1

DRUG USE		(VALUES ARE PERCENTAGES)					
QUESTION DESCRIPTIONS		6th	8th	MS	10th	12th	HS
Ever use hallucinogenic drugs		<1	<1	<1	4	10	7
Used hallucinogenic drugs, past month		<1	<1	<1	3	4	4
Ever use prescription pain medicine without a doctor's prescription		3	3	3	6	10	9
Used prescription pain medicine, past month		3	2	2	3	4	4
Ever use other prescription medicine without a doctor's prescription		2	3	3	6	14	10
Used other prescription medicine, past month		1	2	2	4	5	5
IF took prescription pain medicine other than it was prescribed, how did you obtain it							
It was my prescription		20	14	17	28	18	22
I took it from someone in my home		13	21	17	21	14	18
Someone gave it to me		--	7	3	17	21	18
I bought it from someone		--	7	3	17	21	18
Been offered illegal drugs on school property		3	8	5	19	17	19

All percentages are calculated from valid cases (missing responses were not included).

PHYSICAL HEALTH		(VALUES ARE PERCENTAGES)					
QUESTION DESCRIPTIONS		6th	8th	MS	10th	12th	HS
Described self as overweight		17	20	18	20	28	24
IF trying to lose weight, used unhealthy methods (not eating, diet pills, vomiting or taking laxatives)		4	6	6	8	9	9
At least 1 daily serving of fruit, past week		63	56	60	49	44	48
At least 1 daily serving of vegetables, past week		58	51	54	50	46	48
Less than 4 sugar-sweetened beverages, past week		86	81	84	76	74	74
Had breakfast on 5 or more days, past week		85	74	80	66	53	60
Ate at fast food chain or carry out restaurant 2 or more days, past week		29	35	31	43	58	50
Went hungry because there was not enough food in the home (sometimes-always), past month		9	10	9	13	18	16
Physically active for at least 60 minutes, 7 days past week		36	31	34	23	16	19
Played on 1 or more sports team during past year		75	69	72	65	53	59
Watched 2 or more hours of TV on average school day		47	63	54	68	67	67
Played video games for 2 or more hours on average school day		32	33	32	32	33	33

PHYSICAL HEALTH						
(VALUES ARE PERCENTAGES)						
QUESTION DESCRIPTIONS	6th	8th	MS	10th	12th	HS
Spent 2 or more hours per day connecting socially with friends on electronic device on average school day	26	48	36	61	68	64
Had regular dental exam during the past year	81	83	82	79	79	78
Had regular physical exam with doctor or health care provider during the past year	79	76	78	81	74	77
Slept 8 or more hours on an average school night	78	48	64	32	19	26

All percentages are calculated from valid cases (missing responses were not included).

SEXUAL HEALTH						
(VALUES ARE PERCENTAGES)						
QUESTION DESCRIPTIONS	6th	8th	MS	10th	12th	HS
Ever had sexual intercourse		5	5	21	45	33
IF you had sex, what method of birth control was used the last time you had sexual intercourse						
No method used						
Birth control pills		27	27	19	11	13
Condoms		18	18	23	36	30
An IUD		55	55	75	63	68
A shot		0	0	4	5	4
Withdrawal		0	0	2	5	3
		14	14	11	14	14
Ever been or gotten someone pregnant		0	0	1	3	2
Been taught in school about where to get sexual health services		59	59	78	64	71
If taught about how to use birth control how did you learn						
School health class		53	53	63	51	57
The Internet		11	11	7	11	9
Your parent(s)		15	15	15	18	17
Other adults in your family		4	4	4	5	4
Your friend(s)		4	4	5	9	8
Other		13	13	5	7	6

All percentages are calculated from valid cases (missing responses were not included).